Rowan University

Rowan Digital Works

Stratford Campus Research Day

23rd Annual Research Day

May 2nd, 12:00 AM

Mental Health Symptom Severity in Cannabis-Using and Non-Using Veterans with probable PTSD

Matthew J. Johnson
Rowan University

John D. Pierce
Thomas Jefferson University

Shahrzad Mavandadi
Corporal Michael J. Crescenzo VA Medical Center

Johanna Klaus
Corporal Michael J. Crescenzo VA Medical Center

Diana Defelice
Corporal Michael J. Crescenzo VA Medical Center

See next page for additional authors

Follow this and additional works at: https://rdw.rowan.edu/stratford_research_day

Part of the [Alternative and Complementary Medicine Commons](#), [Other Chemicals and Drugs Commons](#), and the [Psychiatric and Mental Health Commons](#)

Let us know how access to this document benefits you - share your thoughts on our [feedback form](#).

Johnson, Matthew J.; Pierce, John D.; Mavandadi, Shahrzad; Klaus, Johanna; Defelice, Diana; Ingram, Erin; and Oslin, David W., "Mental Health Symptom Severity in Cannabis-Using and Non-Using Veterans with probable PTSD" (2019). *Stratford Campus Research Day*. 4.
https://rdw.rowan.edu/stratford_research_day/2019/may2/4

This Poster is brought to you for free and open access by the Conferences, Events, and Symposia at Rowan Digital Works. It has been accepted for inclusion in Stratford Campus Research Day by an authorized administrator of Rowan Digital Works.

Author(s)

Matthew J. Johnson, John D. Pierce, Shahrzad Mavandadi, Johanna Klaus, Diana Defelice, Erin Ingram,
and David W. Oslin

Mental health symptom severity in cannabis using and non-using Veterans with probable PTSD

Matthew J. Johnson ^{a,b}, John D. Pierce ^b, Shahrzad Mavandadi ^c, Johanna Klaus ^c, Diana Defelice ^c, Erin Ingram ^c, David W. Oslin ^{c,d}

^a Rowan University School of Osteopathic Medicine, Stratford, NJ, ^b Thomas Jefferson University, Philadelphia, PA, ^c Corporal Michael J. Crescenz VA Medical Center, Philadelphia PA, ^d University of Pennsylvania Perelman School of Medicine, Philadelphia, PA

Background

- Post-Traumatic Stress Disorder (PTSD) Prevalence**
- Markedly higher in Veteran populations compared to non-Veterans.
 - Estimated PTSD prevalence rate for Iraqi and Afghanistan Veterans is 23% (Vaughan et al., 2014).
- PTSD and Cannabis Use**
- Many Veterans struggling with PTSD turn to cannabis use for relief, but evidence of its effectiveness is mixed.
 - Greer et al. (2014) found a reduction of PTSD symptomatology among cannabis-using patients
 - Bonn-Miller et al. (2013) found that individuals admitted to a residential program with a current cannabis use disorder had lower rates of improvement in PTSD scores.
- Purpose of the Present Study**
- To examine correlates of cannabis use among a large clinical population of Veterans with probable PTSD.
 - We hypothesized that symptom severity would be lower in cannabis users (cases) compared to non-users (controls), and that frequency of cannabis use would be associated with fewer symptoms of PTSD.

References

Bonn-Miller, M.O., Boden, M.T., Vujanovic, A.A., Drescher, K.D., (2013). *Psychol. Trauma: Theory, Res., Pract., Policy*, 5, 193–200.
Greer, G.R., Grob, C.S., Halberstadt, A.L., (2014). *J. Psychoact. Drugs*, 46, 73–77.
Vaughan et al., (2014). *Psychiatric Services*, 65, 833-835.

Comparison of Cannabis Using (Cases) and Non-Using (Controls) Veterans

Figure 1: Mean PCL-C scores for PTSD

Figure 2: Mean PHQ-9 scores for Depression

Method

- The study was a matched case-control cross-sectional study using data from January 2011– December 2014 comparing cannabis users (n=350) to non-users (n=350) case-matched on age and gender.
- Data were used to evaluate the psychiatric and sociocultural associations of cannabis use in Veterans with probable PTSD.
- Measures included the PTSD Checklist-Civilian Version (PCL-C), two questions from the Alcohol, Smoking, and Substances Involvement Screening Test (ASSIST), the Patient Health Questionnaire for depression (PHQ-9), and the Paykel questionnaire for suicidal ideation.

Results

- PTSD severity did not differ between cannabis-users and non-users (Figure 1).
- Cases were more likely to be single, of minority status, less financially stable, and unemployed (Table 1).
- Cannabis users had greater levels of comorbidity in alcohol consumption than non-users (Table 1).
- Suicidal ideation was significantly more severe in users than in non-users (Table 1).
- Differences in depressive symptomatology fell just short of statistical significance (Figure 2).

Table 1: Demographic and clinical scores of cannabis-using veterans versus controls

	Cannabis Cases (N=350)	Control Cases (N=350)	Test statistic (cases vs. controls)	p value (cases vs. controls)
Race (% Caucasian)	36%	59%	$\chi^2(1) = 40.01$	0.001
Married	32%	51%	$\chi^2(1) = 26.08$	0.001
Employed	23%	40%	$\chi^2(1) = 21.38$	0.001
Financially stable	61%	71%	$\chi^2(1) = 8.15$	0.001
Suicidal ideation	33%	26%	$\chi^2(1) = 4.17$	0.04
Alcohol use (drinks/week)	6.3 (10.1)	3.1 (7.0)	$t(349) = 4.65$	0.001

Conclusions and Acknowledgements

- Cannabis-using Veterans with probable PTSD did not differ significantly on PTSD symptomatology from non-cannabis users, but had significantly greater suicidal ideation and greater comorbidity of alcohol consumption.
- Depressive symptomatology was found to be associated with frequency of cannabis use; those with greater depressive symptomatology were more likely to be daily cannabis users as opposed to non-daily users.
- The socio-cultural differences that were found mirror the findings in community based epidemiological data, though the magnitude of difference is greater in this clinical population.
- The study results do not preclude a therapeutic effect as cannabis users may have started out being more severe, but were reduced to similar levels of non-users.
- The sample is a convenience sample of Veterans being referred for a clinical assessment, and thus may not reflect the population of Veterans not seeking health care in the Veterans Affairs (VA) system.
- The prevalence of cannabis use among Veterans with PTSD further highlights the importance and need for scientific research into the potential therapeutic effects of cannabis.
- The research presented has been prepared with the support of:
 - Dean Michael Dryer, College of Science, Health, and Liberal Arts, Philadelphia University
 - VISN4 Philadelphia VA Medical Center, Mental Illness Research, Education and Clinical Center (MIRECC)