

Rowan University

## Rowan Digital Works

---

School of Osteopathic Medicine Faculty  
Scholarship

School of Osteopathic Medicine

---

12-15-2017

# Modification of the Ribosome as Part of the Adaptive Response to Oxidative Stress in Yeast

Jessica A Zinskie  
*Rowan University*

Daniel Shedlovskiy  
*Rowan University*

Ethan Gardner  
*Rowan University*

Dimitri G Pestov  
*Rowan University*

Natalia Shcherbik  
*Rowan University*

Follow this and additional works at: [https://rdw.rowan.edu/som\\_facpub](https://rdw.rowan.edu/som_facpub)



Part of the [Amino Acids, Peptides, and Proteins Commons](#), [Cell Biology Commons](#), [Fungi Commons](#), [Laboratory and Basic Science Research Commons](#), [Lipids Commons](#), [Microbiology Commons](#), and the [Nucleic Acids, Nucleotides, and Nucleosides Commons](#)

---

### Recommended Citation

Zinskie JA, Shedlovskiy D, Gardner E, Pestov D, Shcherbik N. Modification of the ribosome as part of the adaptive response to oxidative stress in yeast [Conference Abstract P2552]. *Molecular Biology of the Cell*. 2017 Dec 15;28(26):3727. doi: 10.1091/mbc.E17-10-0618. PMID: 29237772. PMCID: PMC5739290.

This Poster is brought to you for free and open access by the School of Osteopathic Medicine at Rowan Digital Works. It has been accepted for inclusion in School of Osteopathic Medicine Faculty Scholarship by an authorized administrator of Rowan Digital Works.

P2552

**Board Number: B705**

Modification of the ribosome as part of the adaptive response to oxidative stress in yeast.

J.A. Zinskie<sup>1</sup>, D. Shedlovskiy<sup>1</sup>, E. Gardner<sup>1</sup>, D. Pestov<sup>1</sup>, N. Shcherbik<sup>1</sup>;

<sup>1</sup>Cell Biology and Neuroscience, Rowan University School of Osteopathic Medicine, Stratford, NJ

Living organisms are constantly exposed to a variety of environmental and internal stressors that are detrimental to their cellular physiology and viability. One such condition, oxidative stress, is caused by abnormal amounts of Reactive Oxygen Species (ROS) that can lead to damage to proteins, nucleic acids, and lipids. Although the mechanisms to neutralize ROS have been widely studied, the understanding of ROS-mediated signaling for these mechanisms is rather incomplete and sparse. We have uncovered a previously undescribed phenomenon of yeast ribosomes to respond to elevated levels of ROS through a

site-specific endonucleolytic cleavage of the 25S rRNA in the c-loop of the expansion segment 7 (ES7c) regions. ES7c is a putative regulatory region located on the surface of the 60S ribosomal subunit. This cleavage was detected at the early stages of stress and is not a part of cell death. Additionally, we have seen that low level exposure to oxidative stressors can lead to a protective effect against this cleavage when cells are exposed to higher levels of the stressor. We conclude that ES7c cleavage represents an early and sensitive marker of increased ROS levels in yeast cells and propose that changes in ribosomes may signify an adaptive response to oxidative stress.